


# **RISK MANAGEMENT** PROGRAM GUIDANCE FOR CHEMICAL **DISTRIBUTORS** (40 CFR PART 68)



This document provides guidance to help owners and operators of stationary sources to determine if their processes are subject to regulation under section 112(r) of the Clean Air Act and 40 CFR part 68 and to comply with regulations. This document does not substitute for EPA's regulations, nor is it a regulation itself. Thus, it cannot impose legally binding requirements on EPA, states, or the regulated community, and may not apply to a particular situation based upon circumstances. The guidance does not represent final agency action, and EPA may change it in the future, as appropriate.

# **TABLE OF CONTENTS**

# INTRODUCTION

	CHAPTER	1 GENERAL	APPLICABILIT
--	---------	-----------	--------------

1.1	Introduction	1-1	
1.1	General Provisions	1-3	
1.3	Regulated Substances and Thresholds	1-5	
1.3	What is a Process	1-5	
1.5	Threshold Quantity in a Process	1-9	
1.6	Stationary Source	1-14	
1.7	When Must You Comply	1-15	
1.8	Varying Inventories and Predictive Filing		
СНА	APTER 2 APPLICABILITY OF PROGRAM LEVELS		
2.1	What Are Program Levels	2-1	
2.2	Program 1	2-3	
2.3	Quick Rules for Determining Program 1 Eligibility	2-8	
2.4	Program 3	2-11	
2.5	Program 2	2-12	
2.6	Dealing with Program Levels	2-14	
2.7	Summary of Program Requirements	2-16	
СНА	APTER 3 FIVE-YEAR ACCIDENT HISTORY		
3.1	What Accidents Must Be Reported	3-1	
3.2	What Data Must Be Provided	3-1	
3.3	Other Accident Reporting Requirements	3-9	
СНА	APTER 4 OFFSITE CONSEQUENCE ANALYSIS		
4.1	Worst-Case Release Scenarios	4-3	
4.2	Alternative Scenarios	4-17	
4.3	Buildings	4-30	
4.4	Estimating Offsite Receptors	4-31	
4.5	Documentation	4-34	
Appe	endix 4A Technical Background for Chapter 4	4-37	
СНА	APTER 5 MANAGEMENT SYSTEM		
5.1	General Information (§ 68.15)	5-1	
5.2	How to Meet the Management System Requirements	5-1	

CHAPTER 6	PREVENTION PROGRAM	(PROGRAM 2)	)
-----------	--------------------	-------------	---

6.1	About the Program 2 Prevention Program	6-1
6.2	Safety Information (§ 68.48)	6-2
6.3	Hazard Review (§ 68.50)	6-9
6.4	Operating Procedures (§ 68.52)	6-14
6.5	Training (§ 68.54)	6-17
6.6	Maintenance (§ 68.56)	6-19
6.7	Compliance Audits (§ 68.58)	6-22
6.8	Incident Investigation (§ 68.60)	6-24
6.9	Conclusion	6-27
Appe	endix 6A Comparison of RDP and Program 2 Prevention Elements	6-28
СНА	APTER 7 PREVENTION PROGRAM (PROGRAM 3)	
7.1	Prevention Program 3 and OSHA PSM	7-1
7.2	Process Safety Information (§ 68.65)	7-3
7.3	Process Hazard Analysis (§ 68.67)	7-6
7.4	Operating Procedures (§ 68.69)	7-9
7.5	Training (§ 68.71)	7-10
7.6	Mechanical Integrity (§ 68.73)	7-10
7.7	Management of Change (§ 68.75)	7-11
7.8	Pre-Startup Review (§ 68.77)	7-12
7.9	Compliance Audits (§ 68.79)	7-13
7.10	Incident Investigation (§ 68.81)	7-13
7.11	Employee Participation (§ 68.83)	7-14
7.12	Hot Work Permits (§ 68.85)	7-15
7.13	Contractors (§ 68.87)	7-15
Appe	endix 7-A PHA Techniques	7-17
СНА	APTER 8 EMERGENCY RESPONSE	
8.1	Non-Responding Sources (§ 68.90(b))	8-1
8.2	Elements of an Emergency Response Program (§ 68.95)	8-2
8.3	Developing an Emergency Response Program	8-6
8.4	Integration of Existing Program	8-9
8.5	Am I Already in Compliance	8-9
8.6	Coordination with Local Emergency Planning Committees	8-12
	endix 8A Comparison of Emergency Response Program and RDP	8-15
СНА	APTER 9 RISK MANAGEMENT PLAN (Part 68, Subpart G)	
9.1	Elements of the RMP	9-1
9.2	RMP Submission	9-2
9.3	Issues Pertaining to Submission of and Access to Confidential Business Inform Secrets	ation and Trade 9-3
	Decreto	<b>7-</b> 3

		iii
9.4	Resubmission and Updates	9-3
СНАР	TER 10 IMPLEMENTATION	
10.1 10.2 10.3 10.4	Implementing Agency Reviews/Audits/Inspections (§ 68.220) Relationship with Title V Permit Programs Penalties for Non-Compliance	10-1 10-2 10-4 10-4
СНАР	TER 11 COMMUNICATION WITH THE PUBLIC	
11.1 11.2 11.3 11.4	Basic Rules of Risk Communication Sample Questions for Communicating with the Public Communication Activities and Techniques For More Information	11-1 11-4 11-13 11-19
APPE	NDICES	
APPEN APPEN	NDIX A PART 68 NDIX B RESERVED NDIX C EPA REGIONAL CONTACTS NDIX D OSHA CONTACTS	

APPENDIX E TECHNICAL ASSISTANCE APPENDIX F OSHA GUIDANCE ON PSM

# LIST OF BOXES AND EXHIBITS IN RMP GUIDANCE

# LIST OF EXHIBITS

Exhibit 1-1 Evaluate Facility to Identify Covered Processes Exhibit 1-2 Process Stationary Source  CHAPTER 2 Exhibit 2-1 Evaluate Program Levels for Covered Processes Exhibit 2-2 Program Level Criteria Exhibit 2-3 Develop Risk Management Program and RMP Exhibit 2-4 Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1 Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-4 Worst-Case Scenario—Constants A1 and A2 for Toxic Gases Exhibit 4-5a Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5b Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids Aqueous Solutions, 10-Minute Release Exhibit 4-9c Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids Aqueous Solutions, 10-Minute Release Exhibit 4-9c Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids Aqueous Solutions, 10-Minute Release Exhibit 4-9c Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids Aqueous Solutions, 10-Minute Release Exhibit 4-9c Alternative Case S	CHAPTER 1	
Exhibit 1-2 Process Exhibit 1-3 Stationary Source  CHAPTER 2 Exhibit 2-1 Evaluate Program Levels for Covered Processes Exhibit 2-2 Program Level Criteria Exhibit 2-3 Develop Risk Management Program and RMP Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1 Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-4 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Sample Management Documentation  EXHIBIT 1-1 Sample Management Documentation		Evaluate Facility to Identify Covered Processes
Exhibit 1-3 Stationary Source  CHAPTER 2 Exhibit 2-1 Evaluate Program Levels for Covered Processes Exhibit 2-2 Program Level Criteria Develop Risk Management Program and RMP Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1 Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Information Gathered from NACD Survey — Flammable Substances Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Gases Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-5 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F)  Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-9b Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation		·
CHAPTER 2 Exhibit 2-1 Exhibit 2-2 Exhibit 2-3 Exhibit 2-3 Exhibit 2-4 Exhibit 2-4  Exhibit 2-4  Exhibit 2-4  Exhibit 2-4  Exhibit 2-4  Exhibit 2-4  Exhibit 2-4  Exhibit 3-1  Exhibit 3-1  Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Exhibit 4-2 Exhibit 4-3 Exhibit 4-3 Exhibit 4-4  Exhibit 4-5 Exhibit 4-5  Exhibit 4-5 Exhibit 4-5  Exhibit 4-6  Exhibit 4-6  Exhibit 4-7  Exhibit 4-7  Exhibit 4-7  Exhibit 4-7  Exhibit 4-7  Exhibit 4-7  Exhibit 4-8 Exhibit 4-8 Exhibit 4-7  Exhibit 4-8  Exhibit 4-8  Exhibit 4-9  Exhibit 5-1		
Exhibit 2-1 Exhibit 2-2 Exhibit 2-3 Exhibit 2-3 Develop Risk Management Program and RMP Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1  Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Exhibit 4-2 Exhibit 4-2 Exhibit 4-3 Exhibit 4-5 Exhibit 4-5 Exhibit 4-5 Exhibit 4-6 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-8 Exhibit 4-8 Exhibit 4-8 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-8 Exhibit 4-8 Exhibit 4-9 Exhibit 4-7 Exhibit 4-	Exilibit 1-5	Stationary Source
Exhibit 2-1 Exhibit 2-2 Exhibit 2-3 Exhibit 2-3 Develop Risk Management Program and RMP Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1  Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Exhibit 4-2 Exhibit 4-2 Exhibit 4-3 Exhibit 4-5 Exhibit 4-5 Exhibit 4-5 Exhibit 4-6 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-8 Exhibit 4-8 Exhibit 4-8 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-7 Exhibit 4-8 Exhibit 4-8 Exhibit 4-9 Exhibit 4-7 Exhibit 4-	CHAPTER 2	
Exhibit 2-2 Program Level Criteria Exhibit 2-3 Develop Risk Management Program and RMP Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1 Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-6 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Sample Management Documentation  Exhibit 5-1 Sample Management Documentation		Evaluate Program Levels for Covered Processes
Exhibit 2-3 Exhibit 2-4 Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1  Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-1 Exhibit 4-2 Information Gathered from NACD Survey — Toxic Substances Exhibit 4-3 Exhibit 4-3 Exhibit 4-4 Exhibit 4-5 Exhibit 4-5 Exhibit 4-5 Exhibit 4-6 Exhibit 4-7 Exhib		· ·
Exhibit 2-4 Comparison of Program Requirements  CHAPTER 3 Exhibit 3-1 Atmospheric Stability Classes  CHAPTER 4 Exhibit 4-2 Information Gathered from NACD Survey — Toxic Substances Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-4 Worst-Case Scenario—Constants A1 and A2 for Toxic Gases Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-7b Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-9b Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation		
CHAPTER 3 Exhibit 3-1  CHAPTER 4  Exhibit 4-1  Exhibit 4-2  Exhibit 4-2  Exhibit 4-3  Exhibit 4-5  Exhibit 4-5  Exhibit 4-6  Exhibit 4-7a  Exhibit 4-7a  Exhibit 4-7a  Exhibit 4-8  Exhibit 4-8  Exhibit 4-8  Exhibit 4-9  Exhibit		
Exhibit 3-1 Atmospheric Stability Classes  CHAPTER 4  Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Information Gathered from NACD Survey — Flammable Substances Exhibit 4-2 Required Parameters for Modeling Exhibit 4-3 Worst-Case Scenario—Constants A1 and A2 for Toxic Gases Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-6 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F)  Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-7b Worst-Case Scenario—Constants B1 and B2 for Toxic Gases 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5  Exhibit 5-1 Sample Management Documentation	Exmort 2	Comparison of Frogram Requirements
CHAPTER 4  Exhibit 4-1  Exhibit 4-2  Exhibit 4-2  Exhibit 4-3  Exhibit 4-3  Exhibit 4-5  Exhibit 4-6  Exhibit 4-7  Exhibit	CHAPTER 3	
Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-4 Worst-Case Scenario—Constants A1 and A2 for Toxic Gases Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-6 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 3-1	Atmospheric Stability Classes
Exhibit 4-1 Information Gathered from NACD Survey — Toxic Substances Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-4 Worst-Case Scenario—Constants A1 and A2 for Toxic Gases Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-6 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	CHAPTED 4	
Exhibit 4-2 Information Gathered from NACD Survey — Flammable Substances Exhibit 4-3 Required Parameters for Modeling Exhibit 4-4 Worst-Case Scenario—Constants A1 and A2 for Toxic Gases Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-5 Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-6 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-7b Worst-Case Scenario—Constants B1 and B2 for Toxic Gases 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation		Information Cathonal from NACD Survey. Toxic Substances
Exhibit 4-3 Exhibit 4-4 Exhibit 4-5 Exhibit 4-6 Exhibit 4-7 Exhibi		· · · · · · · · · · · · · · · · · · ·
Exhibit 4-4  Exhibit 4-5a  Exhibit 4-5a  Exhibit 4-5b  Exhibit 4-6  Exhibit 4-6  Exhibit 4-7a  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7a  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-8a  Exhibit 4-8a  Exhibit 4-9b  Exhibit 4-9a  Exhibit 4-9a  Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release  Exhibit 4-9b  Exhibit 4-7b  Exhibit 4-9b  Exhibit 4-9c  Exhibit 5-1  Exhibit 5-1  Sample Management Documentation		· · · · · · · · · · · · · · · · · · ·
Exhibit 4-5a Values of LFA, LFB, DF, and Vapor Pressure for Toxic Liquids Exhibit 4-5b Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions Exhibit 4-6 Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F) Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-8b Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation		
Exhibit 4-5b Values of LFA, LFB, DF, and Vapor Pressure for Aqueous Solutions  Temperature Correction Factors for Liquids Evaporating from Pools at Temperatures between 25°C and 50°C (77°F and 122°F)  Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release  Exhibit 4-7b Worst-Case Scenario—Constants B1 and B2 for Toxic Gases 10-Minute Release  Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release  Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release  Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release  Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5  Exhibit 5-1 Sample Management Documentation		
Exhibit 4-6  Exhibit 4-7a  Exhibit 4-7a  Exhibit 4-7a  Exhibit 4-7b  Exhibit 4-8a  Exhibit 4-8b  Exhibit 4-9a  Exhibit 4-9a  Exhibit 4-9b  Exhibit 4-9b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-9c  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-7b  Exhibit 4-8a  Exhibit 4-8a  Exhibit 4-9a  Exhibit 4-9a  Exhibit 4-9b  Exhibit 4-9b  Exhibit 4-9b  Exhibit 4-9b  Exhibit 4-10  Exhibit 4-10  Exhibit 5-1  Exhibit 5-1  Exhibit 5-1  Exhibit 5-1  Exhibit 5-1  Exhibit 4-6b  Exhibit 5-1  Exhibit 5-1  Exhibit 5-1  Exhibit 5-0  Exhibit 4-7a  Exhibit 4-7b  Exhibit 4-7a  Exhibit 4-7a  Exhibit 4-7a  Exhibit 4-7b  Exhibit 5-1		
between 25°C and 50°C (77°F and 122°F)  Exhibit 4-7a  Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release  Exhibit 4-7b  Exhibit 4-8a  Exhibit 4-8a  Exhibit 4-8b  Exhibit 4-9a  Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release  Exhibit 4-9a  Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release  Exhibit 4-9a  Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous  Solutions, 10-Minute Release  Exhibit 4-9b  Exhibit 4-9b  Exhibit 4-10  CHAPTER 5  Exhibit 5-1  Sample Management Documentation		
Exhibit 4-7a Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-7b Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids 60-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 4-6	
Exhibit 4-7b Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids 60-Minute Release Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Evhibit 4.7a	
Exhibit 4-8a Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release Exhibit 4-8b Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	EXIIIDIL 4-7a	
Exhibit 4-8b Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 4-7b	Worst-Case Scenario—Constants B1 and B2 for Toxic Liquids 60-Minute Release
Exhibit 4-9a Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 4-8a	Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 10-Minute Release
Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 4-8b	Alternative Case Scenario—Constants D1 and D2 for Toxic Gases 60-Minute Release
Solutions, 10-Minute Release Exhibit 4-9b Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 4-9a	Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids and Aqueous
Exhibit 4-10 Distance to LFL for Flammable Substances  CHAPTER 5 Exhibit 5-1 Sample Management Documentation		
CHAPTER 5 Exhibit 5-1 Sample Management Documentation	Exhibit 4-9b	Alternative Case Scenario—Constants C1 and C2 for Toxic Liquids 60-Minute Release
Exhibit 5-1 Sample Management Documentation	Exhibit 4-10	Distance to LFL for Flammable Substances
Exhibit 5-1 Sample Management Documentation	CHADTED 5	
	Exhibit 5-1	Sample Management Documentation
CHAPTER 6	CHAPTER 6	
	Exhibit 6-1	Summary of Program 2 Prevention Program
	Exhibit 6-2	
*	Exhibit 6-3	•

Exhibit 6-4	Sample Safety Information Sheet
Exhibit 6-5	Hazard Review Requirements
Exhibit 6-6	Sample Checklist
Exhibit 6-7	Operating Procedures Requirements
Exhibit 6-8	Training Chart
Exhibit 6-9	Maintenance Guidelines
Exhibit 6-10	Sample Audit Checklist for Safety Information and Hazard Review
Exhibit 6-11	Incident Investigation Requirements
Exhibit 6-12	Sample Incident Investigation Format
CHAPTER 7	
Exhibit 7-1	Comparable EPA and OSHA Terms
Exhibit 7-2	Summary of Program 3 Prevention Program
Exhibit 7-3	Process Safety Information Requirements
Exhibit 7-4	Process Hazard Analysis Requirements
Exhibit 7-5	Operating Procedures Requirements
Exhibit 7-6	Mechanical Integrity Chart
Exhibit 7-7	Management of Change Requirements
Exhibit 7-8	Pre-startup Review Requirements
Exhibit 7-9	Incident Investigation Requirements
Exhibit 7-10	Employee Participation Requirements
Exhibit 7-11	Hot Work Permits Requirements
Exhibit 7-12	Contractors Chart
Exhibit 7A-1	Applicability of PHA Techniques
Exhibit 7A-2	Time and Staffing for PHA Techniques
CHAPTER 8	
Exhibit 8-1	Federal Guidance on Emergency Planning and Response
Exhibit 8-2	Federal Emergency Planning Regulations

# **CHAPTER 9**

Exhibit 9-1 RMP Updates

# **CHAPTER 11**

Seven Cardinal Rules of Risk Communication Exhibit 11-1

# LIST OF BOXES

#### **INTRODUCTION**

State Programs

What Is a Local Emergency Planning Committee? If You Are New to Regulations

# **CHAPTER 1**

Qs and As: Stationary Source Aggregation of Substances

Qs and As: Threshold Determinations Qs and As: Threshold Determinations

Q and A: Stationary Source Qs and As: Compliance Dates

#### **CHAPTER 2**

Q and A: Process and Program Level

Qs and As: Public Receptors
Q and A: Determining Distances
Q and A: Environmental Receptors
Qs and As: Accident History
Qs and As: NAICS Codes

Q and A: OSHA

#### **CHAPTER 3**

Q and A: Property Damage Qs and As: Accident History

#### **CHAPTER 4**

RMP\*Comp How to Obtain Census Data and Landview How to Obtain USGS Maps

### **CHAPTER 7**

Qs and As: Implementation and Program Level

Qs and As: Process Safety Information Qs and As: Offsite Consequences

#### **CHAPTER 8**

What Is a Response What Is a Local Emergency Planning Committee? How Does the Emergency Response Program Apply Planning for Flammable Substances

#### **CHAPTER 9**

Q and A: Revising a PHA

#### **CHAPTER 10**

Qs and As: Delegation Qs and As: Audits

#### **CHAPTER 11**

What Does Your Worst-case Release Distance Mean?

What Does It Mean That We Could Be Exposed If We Live/Work/Shop/Go to School X Miles Away? If There Is an Accident, Will Everyone Within That Distance Be Hurt? What about Property Damage?

How Sure Are You of Your Distances?

What Are You Doing to Prevent Releases?

What Are You Doing to Prepare for Releases?

Why Are Your Distances Different from the Distances in the EPA Lookup Tables?

How Likely Are the Worst-case and Alternative Release Scenarios?

Is the Worst-case Release You Reported Really the Worst Accident You Can Have?

What about the Accident at the [Name of Similar Facility] That Happened Last Month?

What Actions Have You Taken to Involve the Community in Your Accident Prevention and Emergency Planning Efforts?

Can We See the Documentation You Keep on Site?

#### TABLE OF POTENTIALLY REGULATED ENTITIES

This table is not intended to be exhaustive, but rather provides a guide for readers regarding entities likely to be regulated under 40 CFR part 68. This table lists the types of entities that EPA is now aware could potentially be regulated by this rule and covered by this document. Other types of entities not listed in this table could also be affected. To determine whether your facility is covered by the risk management program rules in part 68, you should carefully examine the applicability criteria discussed in Chapter 1 of this guidance and in 40 CFR 68.10, which is available in Appendix A of this document. If you have questions regarding the applicability of this rule to a particular entity, call the EPCRA/CAA Hotline at (800) 424-9346 (TDD: (800) 553-7672)(see Appendix E, Technical Assistance, for other sources of information and Appendix C for EPA Regional and State contacts).

Category	NAICS	SIC	Examples of Potentially Regulated
	Codes	Codes	Entities
Chemical distributors	42269	5169	Chemical wholesalers